



Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 11/18/2021 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE
Product code : M75540

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Fertilizer

1.3. Supplier

JR Simplot Company
P.O. Box 70013
Boise, ID 83707
T 1-208-336-2110

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation, Category 2B H320 Causes eye irritation
Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Signal word (GHS US) : Warning
Hazard statements (GHS US) : H320 - Causes eye irritation
Precautionary statements (GHS US) : P264 - Wash hands, forearms and face thoroughly after handling.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical attention

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
urea (57-13-6)	(CAS-No.) 57-13-6		Eye Irrit. 2B, H320
ammonium sulfate (7783-20-2)	(CAS-No.) 7783-20-2		Not classified
potassium sulfate	(CAS-No.) 7778-80-5		Not classified
Monoammonium Phosphate	(CAS-No.) 7722-76-1		Eye Irrit. 2B, H320 STOT SE 3, H335
Polymer Coating			Not classified
Iron Oxysulfate			Eye Irrit. 2B, H320
Manganese Oxysulfate			Eye Irrit. 2B, H320
Sand			STOT SE 3, H335

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Wax	(CAS-No.) 64771-72-8		Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects after eye contact : Causes eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from :	Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE
No additional information available
Monoammonium Phosphate (7722-76-1)
No additional information available
potassium sulfate (7778-80-5)
No additional information available
Iron Oxysulfate
No additional information available
Manganese Oxysulfate
No additional information available
Sand
No additional information available
Polymer Coating
No additional information available
Wax (64771-72-8)
No additional information available
ammonium sulfate (7783-20-2) (7783-20-2)
No additional information available
urea (57-13-6) (57-13-6)
No additional information available

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Granules.

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Colour	: Multi-colored
Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Odourless In moist air: Ammonia odour
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 62-64 lbs/ft3
Solubility	: Soluble and slowly soluble. Polymer coating and sulfur insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high temperatures. Direct sunlight.

10.5. Incompatible materials

Oxidizing agent. Prolonged contact may cause oxidation of unprotected metals. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Extremely high temperatures. The product may reach melting point and decompose to release NH₃, SO_x, PO_x, or CN. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Monoammonium Phosphate (7722-76-1)

LD50 oral rat	5750 mg/kg (Rat)
---------------	------------------

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Monoammonium Phosphate (7722-76-1)	
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
potassium sulfate (7778-80-5)	
LD50 oral rat	6600 mg/kg (Rat)
Manganese Oxysulfate	
LD50 oral rat	2150 mg/kg
ammonium sulfate (7783-20-2) (7783-20-2)	
LD50 oral rat	2840 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg
urea (57-13-6) (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 14300 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rat	> 3200 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit; Literature study)

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Monoammonium Phosphate (7722-76-1)	
STOT-single exposure	May cause respiratory irritation.

Sand	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
Symptoms/effects after eye contact : Causes eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Monoammonium Phosphate (7722-76-1)	
LC50 fish 1	155 ppm (96 h; Pimephales promelas)
potassium sulfate (7778-80-5)	
LC50 fish 1	1692.4 mg/l (96 h; Alburnus alburnus)
LC50 other aquatic organisms 1	> 1000 mg/l (96 h)
EC50 Daphnia 1	890 mg/l (48 h; Daphnia magna; Static system)
LC50 fish 2	653 – 796 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 2	1180 mg/l (96 h; Crustacea)
TLM fish 1	3550 ppm (96 h; Lepomis sp.)

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

potassium sulfate (7778-80-5)	
Threshold limit other aquatic organisms 1	> 1000 mg/l (96 h)
Threshold limit algae 1	2900 mg/l (72 h; Scenedesmus subspicatus)

ammonium sulfate (7783-20-2) (7783-20-2)	
LC50 fish 1	126 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 1	202 mg/l (96 h; Daphnia magna)
LC50 fish 2	250 – 480 mg/l (96 h; Brachydanio rerio)
EC50 Daphnia 2	433 mg/l (50 h; Daphnia magna)
TLM fish 1	1290 ppm (96 h; Gambusia affinis)

urea (57-13-6) (57-13-6)	
LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus; Nominal concentration)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna; Nominal concentration)
LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)
TLM fish 1	17500 ppm (96 h; Poecilia reticulata)
Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)
Threshold limit other aquatic organisms 2	> 10000 mg/l (Pseudomonas putida)
Threshold limit algae 1	> 10000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)
Threshold limit algae 2	47 mg/l (192 h; Microcystis aeruginosa; Growth rate)

12.2. Persistence and degradability

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE	
Persistence and degradability	Not established.

Monoammonium Phosphate (7722-76-1)	
Persistence and degradability	Biodegradability in water: no data available. Not established.

potassium sulfate (7778-80-5)	
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Iron Oxysulfate	
Persistence and degradability	Not established.

Sand	
Persistence and degradability	Not established.

Wax (64771-72-8)	
Persistence and degradability	Not established.

ammonium sulfate (7783-20-2) (7783-20-2)	
Persistence and degradability	Biodegradability in water: no data available. Not established.

urea (57-13-6) (57-13-6)	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water. Not established.
ThOD	0.27 g O ₂ /g substance

12.3. Bioaccumulative potential

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE	
Bioaccumulative potential	Not established.

Monoammonium Phosphate (7722-76-1)	
Bioaccumulative potential	Not bioaccumulative. Not established.

potassium sulfate (7778-80-5)	
Bioaccumulative potential	Not bioaccumulative. Not established.

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Iron Oxysulfate	
Bioaccumulative potential	Not established.
Sand	
Bioaccumulative potential	Not established.
Wax (64771-72-8)	
Bioaccumulative potential	Not established.
ammonium sulfate (7783-20-2) (7783-20-2)	
Partition coefficient n-octanol/water (Log Pow)	-5.1
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
urea (57-13-6) (57-13-6)	
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)
BCF other aquatic organisms 1	11700 (Chlorella sp.)
Partition coefficient n-octanol/water (Log Pow)	< -1.73 (Experimental value; EU Method A.8: Partition Coefficient)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid unintentional release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid unintentional release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Iron Oxysulfate	CAS-No.	%
Manganese Oxysulfate	CAS-No.	%
Sand	CAS-No.	%
Polymer Coating	CAS-No.	%

Best Short-Kut Cool Climate 22-4-12 Mini with GAL-Xe ONE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Monoammonium Phosphate (7722-76-1)

Listed on the Canadian DSL (Domestic Substances List)

potassium sulfate (7778-80-5)

Listed on the Canadian DSL (Domestic Substances List)

Sand

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Polymer Coating

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Wax (64771-72-8)

Listed on the Canadian DSL (Domestic Substances List)

ammonium sulfate (7783-20-2) (7783-20-2)

Listed on the Canadian DSL (Domestic Substances List)

urea (57-13-6) (57-13-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
ammonium sulfate (7783-20-2)(7783-20-2)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/18/2021

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-statements:

H320	Causes eye irritation
H335	May cause respiratory irritation.

SDS US (GHS HazCom 2012)

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.